

JBLM PFOS/PFOA PA/SI



Technical Project Planning Meeting #1



6 December 2017





Agenda



Introductions

Problem

Meeting Objectives

Proposed Overall Approach

Potential PFOS/PFOA Source Identification/Assessment Scope

- Break -

Analyte List

Existing Data Review

Data Gaps

Potential Source Prioritization Criteria

Potential Phase I Sampling Locations

Current Schedule

Open Discussion on Path Forward



Introductions



JBLM

Meseret Ghebresllassie - IR Program Manager DPW Environmental Division IMLM-PWE

Alexander Guerrero

John Gilkinson

Cecil Ramsey

Cynthia Trout

Lyle Fogg

Matthew Lambiotte

Michael Grenko

Paul Steucke

Army Environmental Command

Dave Mays

Martin Robert



Introductions



USACE

William Graney - Program Manager for Army & AF EQ and IRP Seattle District USACE

Jason Osborne – Remedial Biologist

Phil Gardener – Risk Toxicologist

U.S. EPA Region X

Chris Cora – Project Manager

Ted Repasky – Hydrogeologist

Washington State Department of Ecology

Chuck Hoffman – Project Manager

AECOM

Anthony Palmieri – AECOM Deputy Project Manager/Geologist

Al Thatcher - Source Assessment


Greg Burgess – AECOM Project Manager



Problem



PFOS and PFOA detections above the EPA Lifetime Health Advisory (LHA) of 70 parts per trillion in six production wells and at lesser concentrations in other production wells on the installation.





Meeting Objectives



Meeting is intended to be interactive, please speak up with thoughts, ideas, and questions at any time

- Present/discuss overall approach
- 2. Present/discuss PFOS/PFOA source identification/assessment scope
- 3. Develop consensus on source area prioritization criteria
- 4. Develop consensus on analyte list
- 5. Provide stakeholders an overview of existing data
- 6. Develop consensus on Phase I sampling locations



Proposed Approach



- 1. Review existing data
- 2. Potential PFOS/PFOA source identification/assessment
- 3. Prioritize source areas
- 4. TPP #2 to select Phase I sampling locations
 - Existing wells
 - OU 1 LF-2 P&T System Influent and Effluent
 - OU 1 I-5 P&T System Influent and Effluent
 - OU 1 Sea Level Aquifer P&T System Influent and Effluent
 - OU 3 ALGT source area wells
- 5. Finalize list for Phase I sample locations
- 6. QAPP review and finalization
- Conduct Phase I sampling
- Conduct lab analysis



Proposed Approach



- 9. TPP #3
 - Review tabular summary of Phase I (tables and maps)
 - Identify supplemental well installation locations
- QAPP Addendum #1 Well Installation and Phase II sampling locations(tables and maps)
- 11. Install supplemental wells
- 12. Identify monitoring wells for Phase II sample collection and analysis
- 13. Conduct Phase II sample collection and analysis
- 14. TPP #4 Review tabular summary of results
- 15. Report all results with project team review prior to finalization





Primary Objectives

- Identify operations/activities, both current historic, of potential concern for contributions of PFOS/PFOA
- 2. Identify potential pathways to the environment
- 3. Prioritize potential source areas for Site Investigation

Focus on AFFF storage and use (e.g. fire-fighting training areas, crash/accident sites, accidental system releases or spills). Based on experience, other products/activities of concern include:

- Landfills
- Surfactant operations (e.g. vehicle wash, WWTPs, vehicle repair (e.g. engine cleaning detergents)
- Lubricants
- Dry wells (stormwater)






Screening For Operations & Areas of Concern

- Possibly obtain government database review reports (sub: EDR Environmental Radius Map Report [RMR]) for select areas:
 - Focus areas centered on obvious higher activity
 - Areas with identified concerns based on map review
- Review RMR for activities/locations of concern:
 - Fire training
 - Spills
 - Dry wells (stormwater)
 - Known contaminated sites









Interview JBLM staff (including but not limited to):

- Environmental
- Historians
- Fire Chief
- Individuals with knowledge of past crashes or accidents with fire fighting requirement
- Procurement Staff
- Public Works
- Others identified by the project team







Review Historical Resources

- Topographic maps
- Storm Water Pollution Prevention Plans
- NPDES Permits as applicable
- Waste Disposal Manifests
- Other sources identified by the project team
- Aerials





1990

2002





Visit identified areas

- Ground truthing
 - Current conditions
 - Surface type identification (concrete, asphalt, natural, etc.)
 - Likely runoff/drainage patterns
 - Existing surface disturbances and extents









Critical Needs

- Contact information for Interviewees
- Historical resource contact information
- JBLM staff input





Other Important Considerations

- Surface water pathway could be very important
 - Surface water sampling may be appropriate
- Other compounds can interfere with PFAS analysis
 - ppm or ppb levels could impact the parts per trillion requirement for PFAS compounds
 - Could impact lab instrumentation performance
 - Need to identify this condition to the laboratory, if present, and the lab may need to dilute samples.
 - This will require additional sample volume.
- Municipal and installation storm water to dry wells could be multiple low level sources.
- Identify old training or accident locations with concrete surfaces. Concrete can be a secondary source if PFAS's have impregnated the concrete





Potential Source Area Prioritization Criteria

- 1. Historical/anecdotal information for considerable AFFF application volumes
- 2. Proximity to impacted production wells
- 3. Areas with most direct pathway to impacted production wells







Current Scope – Unregulated Contaminant Monitoring Rule (UCMR) List (6 analytes)

- Perfluorooctanesulfonic Acid (PFOS)
- Perfluorooctanic Acid (PFOA)
- Perfluorobutanesulfonic Acid (PFBS)
- Perfluoroheptanoic Acid (PFHpA)
- Perfluorohexanesulfonic Acid (PFHxS)
- Perfluorononanoic Acid (PFNA)



Public Meeting and Webinar:

The Fourth Unregulated Contaminant Monitoring Rule (UCMR 4) Meeting Presentations

Held April 12, 2017 USEPA, Office of Ground Water and Drinking Water

Office of Water (MLK 140)

EPA 815-A-17-001

April 2017





Method 537 List (14 analytes)

- N-ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)
- N-methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)
- Perfluorobutanesulfonic acid (PFBS)*
- Perfluorodecanoic acid (PFDA)
- Perfluorododecanoic acid (PFDoA)
- Perfluoroheptanoic acid (PFHpA)*
- Perfluorohexanesulfonic acid (PFHxS)*
- Perfluorohexanoic acid (PFHxA)

- Perfluorononanoic acid (PFNA)*
- Perfluorooctanesulfonic acid (PFOS)*
- Perfluorooctanoic acid (PFOA)*
- Perfluorotetradecanoic acid (PFTA)
- Perfluorotridecanoic acid (PFTrDA)
- Perfluoroundecanoic acid (PFUnA)
- * UCMR analytes





The type(s) of AFFF used (3M vs Ansul) is strong consideration.

- The 3M product is primarily PFOS
 - Current analyte scope will likely be sufficient for source identification
- Ansul is primarily precursors to PFOS/PFOA
 - Most of the compounds will be missed with just the UCMR 6 compounds.





EPA in the process of identifying 24 PFAS compounds which will need to be quantified. Publication was intended for November 2017.

These analytes are:

- Perfluorobutanoic acid (PFBA)
- Perfluoropentanoic acid (PFPeA)
- Perfluorohexanoic acid (PFHxA)
- Perfluoroheptanoic acid (PFHpA)
- Perfluorooctanoic acid (PFOA)
- Perfluorononanoic acid (PFNA)
- Perfluorodecanoic acid (PFDA)
- Perfluoroundecanoic acid (PFUnA)
- Perfluorododecanoic acid (PFDoA)
- Perfluorotridecanoic Acid (PFTriA)
- Perfluorotetradecanoic acid (PFTeA)

- Perfluorobutanesulfonic acid (PFBS)
- Perfluorohexanesulfonic acid (PFHxS)
- Perfluoroheptanesulfonic Acid (PFHpS)
- Perfluorooctanesulfonic acid (PFOS)
- Perfluorodecanesulfonic acid (PFDS)
- Perfluorooctane Sulfonamide (FOSA)
- N-methyl perfluorooctane sulfonamidoacetic acid (NMeFOSAA)
- N-ethyl perfluorooctane sulfonamidoacetic acid (NEtFOSAA)
- Perfluoro-1-pentanesulfonate (PFPeS)
- Perfluoro-1-nonanesulfonate (PFNS)
- 6:2FTS
- 8:2FTS
- 4:2FTS





Since PFOS/PFOA have been detected in production well samples, the UCMR 6 compound list should be adequate to identify potential source areas for this PA/SI.

The presence of PFOS and PFOA in water samples also suggests that 3M manufactured AFFF was likely used at the installations.

- Perfluorooctanesulfonic Acid (PFOS)
- Perfluorooctanic Acid (PFOA)
- Perfluorobutanesulfonic Acid (PFBS)
- Perfluoroheptanoic Acid (PFHpA)
- Perfluorohexanesulfonic Acid (PFHxS)
- Perfluorononanoic Acid (PFNA)



Existing Data Review




Existing PFAS Data Summary

- Six production wells currently have PFAS concentrations above the EPA Lifetime Health Advisory concentration of 70 parts per trillion (ppt), range is 70 to 251 ppt.
 - McChord North Well
 - McChord South Well
 - PB Replacement Well I
- Mchord Field Housing Well II
 - Lewis Well 17
 - Lewis Well 22
- Three production wells currently have PFAS concentrations between 30 and 70 ppt
 - McChord East Well
 - Lewis Well 14
 - Lewis Mars Hill Well
- Remaining production wells are less than 30 ppt
- Highest concentrations are on McChord, west of runway, northeastern and western portions of Lewis.




Existing Data Review

































































Fundamental and the Pena Community Status and the S






















32 Hydrogeologic Framework, Groundwater Movement, and Water Budget in the Chambers-Clover Creek Watershed, Washington



Figure 21. Water-level altitudes and direction of groundwater flow in G undifferentiated deposits, Chambers-Clover Creek Watershed and vicinity, Washington, September 2006-September 2008.





Data Gaps



Limited Lithologic Information

- Source areas and strength
- Limited lithologic information on production and deep monitoring well boring logs
- Limited number of deep monitoring wells
- Production wells screened within multiple water bearing units




Potential Existing Well Sampling Locations




Selection criteria

- Shallow horizontal coverage for Phase I
- Add vertical coverage in the highest concentration areas, where available, for Phase
- 60 total groundwater samples for two events scoped, 15 reserved from new wells (if installed)
- 50 total optional samples with 15 reserved for optional new additional wells (if installed)

Potential Existing Well Sampling Locations-McChord








Potential Existing Well Sampling Locations-Lewis







Current Schedule



- Mid-December 2017 to end of January 2018 PA research and field visits
- Mid-January 2018 TPP #2 to finalize Phase I sampling location selection
- February 2018 Draft PA and QAPP for project team review delivered after TPP #2
- March 2018 TPP #3 QAPP Comment Resolution and QAPP Finalization
- April 2018 Commence Phase I Sampling
- July 2018 TPP #4, review Phase I data, select additional drilling and sampling locations, QAPP Addendum
- August 2018 Additional Well Installation (if needed) and Phase II sampling
- October 2018 Draft SI Report



Approach Adjustments?



- Review existing data
- 2. Potential PFOS/PFOA source identification/assessment
- Prioritize source areas
- 4. TPP #2 to select Phase I sampling locations
 - Existing wells
 - OU 1 LF-2 P&T System
 - OU 1 I-5 P&T System
 - OU 1 Sea Level Aquifer P&T System
 - OU3 ALGT source area wells
- 5. Finalize list for Phase I sample collection and analysis
- 6. QAPP review and finalization
- 7. Conduct Phase I sampling
- 8. Conduct lab analysis



Approach Adjustments?



- 9. TPP #3
 - Review tabular summary of Phase I (tables and maps)
 - Identify supplemental well installation locations
- QAPP Addendum #1 Well Installation and Phase II sampling locations(tables and maps)
- 11. Install supplemental wells
- 12. Identify monitoring wells for Phase II sample collection and analysis
- 13. Conduct sample collection and analysis
- 14. TPP #4 Review tabular summary of results
- 15. Report all results with project team review prior to finalization



Path Forward



Open Discussion